

Nyx 190

Design: Vilhelm Lauritzen Architects



The smallest luminaire in the Nyx family is Nyx 190 for wall or bollard mounting. As is the case with the other Nyx luminaires, Nyx 190 is available in two black, two grey colours, and the new corten brown.

With housing in cast silumin and screen in opalized polycarbonate, the luminaires are simple and resistant to vandalism. The bollard is available in two heights; 1000 or 1200 mm, the taller bollard being equipped with fuse box.

Lamp types are LED or E27 types.

In Greek mythology NYX is the goddess of the night, ruling over darkness - NYX gave birth to the day




Find our sales partner in your country under Contacts at www.focus-lighting.dk

FOCUS-LIGHTING

Nyx 190 for bollard

Design: Vilhelm Lauritzen Architects



Luminaire specification:

Material: cast aluminium
 Coating: graphite grey: YW355F
 silver grey: Y2370I
 black: RAL 9005 or Noir 900 Sablé SN351F
 corten brown: YX355F
 Screen: polycarbonate, matt
 Mounting: on bollard, double cable entry
 Connection: max 5 x 2.5 mm² into terminal block
 Classification: IP66, class I or II
 Impact resistance: IK10
 Weight: 2.6 kg
 Lamp types: LED or E27 variants.
 All lamp components as exchangeable modules.



Lamp and driver specification:


LED type: 2 X Bridgelux V6
 Energy consumption: 9, 12, or 16 W
 Operational life: min 100,000 hours at ta max 25°C, L80B10
 Colour temperature: 2700, 3000, or 4000 Kelvin
 Colour rendering: 2700/3000 K: min. 90 Ra, 4000 K: min. 80 Ra
 Colour accuracy: 3 Steps SDCM
 Output ratio: 60 per cent
 Standard driver: Helvar coated LED driver, 350-700 mA
 dimmable at extra charge
 Operational life: min 50,000 hours
 Programmable driver: Xitanium Full Xi FP 22 W, 0.3-1.0 A
 Inrush current: max 14 A (50% after 400 µs)
 Dimming: 15-100% i valgfri perioder
 Surge protection: L/N-GND: 8 kV, L-N: 6 kV
 Operational life: min 100,000 hours

Product codes:

NYX 190 for bollard mounting, LED							
Item No.	Lamp type	Select colour, colour temperature, etc. in the table below.					
6841-	9 W Bridgelux V6						
6842-	12 W Bridgelux V6						
6888-	16 W Bridgelux V6						
To be combined with:	Colour	Colour temperature		Dimming		Classification	
	3 black RAL 9005	927	2700 K, 90 Ra	empty	no dimming	empty	class I
	4 graphite grey	930	3000 K, 90 Ra	V	1-10 V (Helvar driver)	K	class II
	9 silver grey	840	4000 K, 80 Ra	D	Dali		
	17 corten brown			E	programmable		
	66 black noir 900						
Example product code:	6841-9930K = Nyx 190 for bollard, 9 W V6, silver grey, 3000 K 90 Ra, no dimming, class II						

Nyx Bollard 1000

Design: Vilhelm Lauritzen Architects



Specification:

Material: powder-coated aluminium
 Coating: graphite grey: YW355F, silver grey: Y2370I, black: RAL 9005, black: Noir 900 Sablé SN351F, corten brown: YX355F
 Mounting: with rooted base for embedment or on flanged base; cables in the stand
 Connection: in the fixture
 Weight: 4-5 kg

Product codes:


Item No.	Height: 1000 mm	Select colour in the table below.		
7021-	rooted base for embedment			
7022-	on flanged base			
To be combined with:	Colour			
	3	black RAL 9005		
	4	graphite grey		
	9	silver grey		
	17	corten brown		
	66	black noir 900		
Example product code:	7021-4 = Nyx bollard 1000 for embedment, graphite grey,			

Find our sales partner in your country under Contacts at www.focus-lighting.dk

FOCUS-LIGHTING

Nyx Bollard 1200

Design: Vilhelm Lauritzen Architects



Specification:

Material: powder-coated aluminium
 Coating: graphite grey: YW355F, silver grey: Y2370I, black: RAL 9005, black: Noir 900 Sablé SN351F, corten brown: YX355F
 Mounting: with rooted base for embedment or on flanged base
 Connection: in fuse box with 6A fuse box, max 3 of 4 x 10 mm² or 2 of 4 x 16 mm²
 Classification: class I or II
 Weight: 4.5-6 kg

Product codes:

Item No.	Height: 1200 mm	Select colour and protection below.		
7023-	rooted base for embedment			
7024-	on flanged base			
To be combined with:	Colour	Classification		
	3 black RAL 9005	empty	class I	
	4 graphite grey	K	class II	
	9 silver grey			
	17 corten brown			
	66 black noir 900			
Example product code:	7023-4K = Nyx bollard 1200 for embedment, graphite grey, class II			

Find our sales partner in your country under Contacts at www.focus-lighting.dk

FOCUS-LIGHTING